

Tenant Manual



HARVEST JUNCTION SOUTH

TABLE OF CONTENTS

I. INTRODUCTION

II. SHOPPING CENTER CONTACT LIST

III. TENANT MANUAL

Section	Content
1.0	Landlord's Vanilla Box
2.0	Tenant's Work
3.0	Tenant's Signage
4.0	Insurance

IV. ADDITIONAL DOCUMENTS

Document	Content
A	Construction Guidelines for Operating Shopping Centers
B	Tenant Contractor Check List
C	Contractor List

I. INTRODUCTION

The Tenant Manual is a complete guide for Tenant's Work and Landlord's Vanilla Box construction, and the following shall be applicable throughout:

1. Landlord approvals must be obtained in writing.
2. Tenant's Work (as well as any other work performed by Tenant which is governed by the Tenant Manual) will be performed at Tenant's sole cost and expense, unless otherwise approved by Landlord.
3. All work covered in the Tenant Manual shall be governed by the specifications for design, construction and finish set forth herein, performed in accordance with all applicable federal, state and local laws (including, without limitation, building codes, ordinances and American Disability Act), and performed in a professional and workmanlike manner.
4. Approval and/or comments by Landlord (and/or its agents) with respect to any and all aspects of all work covered in the Tenant Manual shall not modify the terms of the Lease or affect Tenant's obligation to comply with all applicable laws.
5. Approval of Tenant's drawings and specifications shall not constitute the assumption of any responsibility or liability by Landlord for the accuracy or sufficiency thereof, and Tenant shall be solely responsible therefor.
6. Any deviation from the requirements set forth in the Tenant Manual must be approved by Landlord. Tenant's Work which deviates from the requirements set forth in the Tenant Manual without such approval shall, at Landlord's option, be removed and the leased premises fully restored to its pre-existing condition at Tenant's sole cost and expense.
7. Landlord's work that depends on Tenant-supplied work, information or materials, will not be required to be completed as a condition of delivery of the leased premises to Tenant where Tenant fails to provide such information, work or materials on a mutually agreed upon schedule.
8. Tenant will provide to Landlord a copy of the Certificate of Occupancy issued by the City in order to open for business per Section 2.23 of this manual.

The terms Landlord, Tenant, Tenant's Work and Shopping Center shall have the meaning such terms are given to each in the Lease.

II. SHOPPING CENTER CONTACT LIST

We are pleased to have you as a Tenant in the Shopping Center

Following is a list of your contacts for the Landlord, local utility companies, required Landlord contractors and Emergency Service.

If you have any questions or require assistance, please do not hesitate to call the corporate telephone number listed below and ask for the appropriate department.

We look forward to your opening and wish you much success!

The Staff of Ramco Gershenson, Inc.

LANDLORD CONTACTS/DEPARTMENTS

Ramco-Gershenson, Inc.
31500 Northwestern Highway, Suite 300
Farmington Hills, MI 48334
Main Number: 248-350-9900
Toll Free: 800-225-6765

Tenant Coordination

Tenant works with this department prior to opening for business.
Contact Landlord for current required vendors contact information.

Property Management

Tenant contacts this department after opening for business for roofing, shopping center or building concerns.

Risk Management

Tenant provides annual insurance certificates to this department and notifies of any incidents on premises. See Section 4.0 of the Tenant Manual for Insurance Coverage Requirements. Additional insured's that must be listed are: Ramco-Gershenson, Inc. & Ramco-Gershenson Properties LP.

Lease Accounting

Rent invoices, CAM billings, payments, etc.

UTILITY & REQUIRED CONTRACTOR CONTACTS

Electric: City of Longmont 303-651-8664

Gas: Xcel Energy 800-481-4700

Water: Billed by Landlord

Dumpster: Tenant to provide.

Roofing Contractor: D & D Roofing 303-287-3043

Fire Alarm: Contact Landlord

Fire Sprinkler: Metro State Fire 303-787-0016

Mailboxes (if applicable) – Obtain key from local post office.

Emergency Contact: Police & Fire: 911

III. TENANT MANUAL

SECTION 1.0 - LANDLORD'S VANILLA BOX

The following criteria is only applicable when Landlord is delivering to tenant a Landlord's vanilla box as required per the Exhibit C of the executed lease, or if required by Landlord to reconstruct damaged premises.

SECTION 1.01 STRUCTURE

- a. Exterior canopy to be constructed of material selected by Landlord.
- b. Building structure to be a steel/concrete structure supported on interior steel columns and/or exterior masonry.
- c. Exterior walls to be consistent with Landlord's determination of the Shopping Center theme.
- d. Roofing shall be selected by Landlord and will be suitable for local conditions.

SECTION 1.02 STOREFRONT

- a. For the exterior storefront wall, Landlord to provide straight glazed vision panels in aluminum frames, with a single glazed aluminum door in an aluminum frame.
- b. Where applicable (as determined by Landlord) Landlord to supply hurricane shutters. Tenant responsible to store and deploy such shutters as needed and/or directed by the appropriate authorities.

SECTION 1.03 FLOOR

Concrete slab on grade made ready to accept finishes by others.

SECTION 1.04 WALLS AND PARTITIONS

- a. Typical interior demising walls shall include a minimum of 5/8 "gypsum board (or to meet applicable codes), carried full height from slab to underside of the roof deck. Landlord to provide 1 hour U.L. rated demising walls.
- b. Demising partition framing size to be determined by Landlord.
- c. Drywall to be taped, spackled, firesafed to the deck, sanded and ready for finish to 6" above ceiling.
- d. With exception of the rear wall, which shall remain exposed masonry, interior side of exterior masonry walls shall be finished with drywall to 6" above the grid ceiling height.

SECTION 1.05 CEILING

Landlord will provide a ceiling at one standard height consisting of 24" x 48" noncombustible acoustical tile panels in T-grid suspension of standard factory finish, color and texture throughout the leased premises. Costs associated with providing a ceiling other than Landlord's ceiling shall be borne by Tenant.

SECTION 1.06 REAR ENTRANCE

If applicable, Landlord will provide one hollow metal man door and frame, located per Landlord's drawings, complete with code required hardware.

SECTION 1.07 TOILET FACILITIES

- a. 1 or 2 heated and ventilated restrooms, as required by code, each containing 1 water closet, 1 wall mounted lavatory and standard handicap accessories.
- b. If required by code, hot water service by heater or point of use, per Landlord's design.

- c. Ceiling per Section 1.05 above or drywall, as determined by Landlord.
- d. If required by code, Landlord will provide 1 drinking fountain/water cooler and/or 1 service sink.

SECTION 1.08 UTILITIES

- a. Landlord shall make available to the leased premises a 3/4" water service lead and a 4" PVC sanitary sewer service line.
- b. Gas (if available) will be provided to the leased premises for the heating and cooling system.
- c. Landlord will arrange for telephone service up to the demarcation point of the building as determined by Landlord and shall provide standard service conduit to the leased premises. Tenant shall make all arrangements with the telephone company for service to and distribution within the leased premises.
- d. Request(s) by Tenant for additional water, sewer, or gas service will be reviewed by Landlord, and if approved, will be furnished and installed by Tenant, per Landlord requirements.
- e. All costs for modifications to utilities, including the cost of connecting to such utilities, meter charges, permits, tap fees, use and capital charges and any other charges in relation to Tenant's specific use of such utilities, will be charged to and paid for by Tenant.

SECTION 1.09 ELECTRICAL SERVICE

- a. Landlord will supply electrical service on the basis of 200 amps at 120/208 volts, subject to the limitations of the serving utility. The above-described service indicates total power available to the leased premises, including all lighting, electrical receptacles, and rooftop mechanical equipment. (If additional electrical power is desired by Tenant, see Section 2.12.)
- b. Landlord will furnish the main panel board and breakers.
- c. Landlord will provide standard 110 volt wall duplex convenience outlets or junction boxes not to exceed 1 for every 20 lineal feet of demising partition in the leased premises.
- d. One ground fault interceptor outlet will be installed in each toilet room.
- e. No floor outlets will be provided by Landlord.

SECTION 1.10 INTERIOR LIGHTING

Lighting will be installed in the leased premises based on 1 fixture per 100 square feet of leased premises.

SECTION 1.11 EMERGENCY AND EXIT LIGHTING

Emergency and exit lights will be installed as required by applicable code for Landlord installed work.

SECTION 1.12 SIGN CIRCUITING

Landlord shall provide wiring for one 20 amp, 120 volt circuit from Tenant's electrical panel to the backside of the fascia panel.

SECTION 1.13 MECHANICAL SYSTEM

- a. Landlord will provide a Landlord-designed individual (gas if available) rooftop heating and air conditioning system unit for each leased premises, 1 ton per 300-400 square feet depending on existing unit(s) size(s).
- b. Cooling will be provided based on net usable square footage, not exceeding 1 ton per 400 square feet of the interior square footage of the leased premises.

- c. Service provided will include main trunk, distribution, ductwork, grilles, diffusers, and thermostat.
- d. Basic duct distribution is to be predicated on an open space design.
- e. System shall incorporate return air plenum.

SECTION 1.14 FIRE PROTECTION

- a. If required by code, Landlord will provide a fire protection sprinkler system per (i) applicable laws and regulations, and (ii) the requirements of the insurance underwriter(s) insuring the leased premises.
- b. The distribution of the sprinkler system shall be designed for an open plan concept assuming no stock/sales or other partitions.
- c. Additional costs incurred as a result of any interior store partition(s), mezzanine areas, Tenant's specific use of the leased premises and/or Tenant's fixtures shall be paid for by Tenant.
- d. Monitoring panel and service is paid by Tenant.

SECTION 2.0 - TENANT'S WORK

SECTION 2.01 COMMENCEMENT OF TENANT'S WORK

Without limitation, Tenant's Work shall not commence until:

- a. Full execution of the Lease or an Early Start Agreement by both parties and written delivery of the leased premises by Landlord to Tenant;
- b. Tenant has received Landlord's written approval of Tenant's drawings and specifications;
- c. Tenant has obtained all required governmental approvals;
- d. Tenant has delivered to Landlord, the certificate(s) of insurance required by Tenant Manual, Lease and applicable laws;
- e. Tenant has submitted to Landlord the names, addresses and phone numbers of its licensed general contractor and all certificates evidencing the insurance required herein; a complete list of subcontractors and suppliers, their associated trade, contact and phone numbers. The general contractor and all subcontractors must be bondable and meet all state and local licensing and insurance requirements.
- f. Tenant and/or Tenant's contractor has obtained and posted in a prominent place within the leased premises a building permit and all other applicable permits, and provided Landlord with copy of same;
- g. Tenant has advised Landlord of the actual commencement date of construction, the estimated date of completion of Tenant's Work and date of projected opening. Tenant shall immediately notify Landlord of the actual date the leased premises are open for business.
- h. All of section 2.0 Tenant's Work is applicable for any remodel or renovation during term of the lease.

SECTION 2.02 LANDLORD'S REQUIRED CONTRACTORS

Tenant and/or Tenant's contractor must use Landlord's required contractor's i.e. roofer, fire protection system, etc. See page 4 for list of Required Contractors.

SECTION 2.03 FIELD CONDITIONS

Landlord will make available to Tenant and its contractor access to the leased premises so as to be able to perform field verification. It shall be Tenant's responsibility to field verify all existing conditions pertaining to the leased premises (including but not limited to underground electrical conduits and mechanical piping) prior to commencement of construction of the leased premises, and to reflect those conditions in the drawings and specifications submitted to Landlord for review. Any such field verification shall be scheduled with Landlord in advance.

SECTION 2.04 SUBMISSION OF DRAWINGS AND SPECIFICATIONS

- a. Within 45 days after the date of the Lease, Tenant shall submit drawings and specifications to Landlord showing all Tenant's Work. Tenant to provide CAD drawings of As-Built to Landlord.
- b. Tenant's drawings and specifications required by Landlord shall be no less than basic drawings and specifications showing Tenant's Work and no greater than drawings and specifications required by the local building authority for the issuance of a building permit.
- c. If Tenant's Work requires submission of drawings and specifications for issuance of a permit by the local building authority, Tenant shall (i) submit such drawings and specifications to Landlord for review and approval prior to submission to the local building authority, and (ii) submit such drawings and specifications to the local building authority within 5 days of receipt of Landlord's approval of drawings and specifications, and thereafter pursue diligently the obtaining of said permit. Any addendums and/or bulletins must be submitted to Landlord for review and approval.
- d. If Tenant is performing work that requires sealed architectural drawings, Tenant shall retain an architect licensed to practice in the state in which the leased premises are located.

SECTION 2.05 LANDLORD'S REVIEW OF DRAWINGS AND SPECIFICATIONS

- a. Landlord shall review Tenant's drawings and specifications within 14 days of Landlord's receipt thereof and shall furnish Tenant with a copy of such drawings and specifications bearing Landlord's approval or disapproval with comments and/or required revisions.
- b. Should the drawings and specifications be returned to Tenant without Landlord's approval, such drawings and specifications shall be (i) revised by Tenant in accordance with Landlord's comments and/or required revisions and (ii) resubmitted within 14 days of receipt thereof to Landlord for review.
- c. Landlord shall not unreasonably withhold approval of Tenant's drawings and specifications, provided that such drawings and specifications conform to the requirements of this Tenant Manual, the Lease, and all applicable laws.

SECTION 2.06 LANDLORD'S COORDINATION AND ADMINISTRATION FEE

Tenant shall pay to Landlord a coordination and administrative service fee per the following schedule:

Floor Area of Leased Premises		Fee Amount
1 to 2,000	sq. ft.	\$1,000.00
2,001 to 5,000	sq. ft.	\$1,500.00
5,001 to 10,000	sq. ft.	\$2,000.00
10,001 and over	sq. ft.	\$2,500.00

SECTION 2.07 FLOORING

Tenant will provide finishes as approved by Landlord for floors in the leased premises.

SECTION 2.08 INTERIOR PARTITIONS

Partitions within the leased premises, including any stock/sales partition, will be provided by Tenant. Partitions installed by Tenant shall not penetrate lay-in ceiling installed by Landlord.

SECTION 2.09 CABINETS, SHELVING, COUNTERS, ETC.

Cabinets, shelving, etc., are to be furnished and installed by Tenant per Landlord approved drawings and specifications.

SECTION 2.10 INTERIOR FINISHES

All interior painting, decorating, storefront painting, paneling, wallpapering, etc., on walls and columns shall be approved by Landlord and furnished and installed by Tenant and shall be made with materials resistant to soil and wear.

SECTION 2.11 INDIVIDUALIZED STOREFRONT

- a. Materials, designs and color selections shall be subject to Landlord's approval.
- b. No portion of the storefront may protrude beyond the front line of the leased premises nor encroach in any manner onto the Shopping Center sidewalk.

SECTION 2.12 ADDITIONAL ELECTRICAL SERVICE

- a. Landlord shall permit Tenant to upgrade electrical service to the leased premises, subject to the following: (i) Tenant shall retain a licensed electrical engineer to prepare load calculations for Tenant's equipment use, which shall be reviewed and approved by Landlord's engineer prior to start of the upgrade; (ii) Tenant's engineer shall inspect the existing primary electrical service. Engineer shall provide a one-line diagram of the power on which shall be noted the additional service to be installed – verifying availability and capacity of transformer to accommodate Tenant's electrical needs; and (iii) The upgrade shall not draw more than 80% of available power.
- b. Tenant shall pay all costs associated with such upgrade. Additional outlets, "EXIT" signs, emergency lighting and lighting fixtures as required for Tenant's use will be furnished and installed by Tenant.

SECTION 2.13 ADDITIONAL PLUMBING

Where available, plumbing in excess of that provided by Landlord may be furnished, installed and connected by Tenant, subject to prior written approval by Landlord. If Tenant requires additional plumbing, Tenant shall pay for all costs thereof. If applicable, Tenant to install remote readers for water billing. Tenant must video scope & flush lines, providing a copy of invoice for Landlord's records.

SECTION 2.14 ADDED STRUCTURAL STEEL

- a. Any alterations and/or additions and reinforcements to Landlord's structures to accommodate Tenant's Work shall be accomplished by Tenant, subject to prior written approval by Landlord.
- b. Tenant's design for such work shall leave Landlord's structure at least as strong as the original design and with finishes unimpaired.
- c. Structural steel and miscellaneous iron shop drawings and specifications must be submitted by a licensed structural engineer for Landlord's written approval. Shop drawings shall include erection diagram(s) locating proposed new work, connections to existing structure, and all details of proposed new work.

SECTION 2.15 CHANGES TO THE FIRE PROTECTION SYSTEM (see Section 2.02)

- a. Tenant shall provide sprinkler drawings showing existing conditions with additions to and/or relocation of heads from the existing automatic fire protection sprinkler system for the leased premises clearly identified. Piping shall be arranged so that all areas within the new store layout are adequately covered. Contact Landlord for any applicable shut down fees.
- b. Tenant's fire protection sprinkler system must be compatible with Landlord's system.
- c. Tenant's fire protection sprinkler system (installed by a licensed contractor), fire hose cabinets, fire extinguishers, monitoring panel and other equipment within the leased premises shall satisfy the

requirements of the applicable insurance services office of the state in which the Shopping Center is located and Landlord's insurance underwriter.

SECTION 2.16 ODORS

If (all or any portion of) the leased premises are used for the operation of a business that emits noxious fumes (e.g., nail salon, cigar bar, etc.) a suitable ventilation/exhaust system shall be installed by Tenant, at its sole cost and expense, at sufficient locations throughout the space to remove all noxious odors. Tenant shall provide drawings and specifications for the ventilation/exhaust system for Landlord's prior written approval. Tenant's removal of noxious odors must not interfere in any way with other Shopping Center tenants.

SECTION 2.17 ROOF DECK (see Section 2.02)

- a. Cut and/or repair of all openings and flashing of the roofing shall be scheduled and performed by Landlord's contractor at Tenant's sole cost and expense.
- b. Nothing shall be attached directly into roof deck (i.e.: ceiling grid, lighting fixtures) without Landlord prior approval.

SECTION 2.18 SUPPORT OF EQUIPMENT

- a. Air conditioning equipment and food storage refrigeration compressors on the roof shall be located in an area approved by Landlord and shall be supported on approved prefabricated steel frame curbs connected to the roof purlins.
- b. No one purlin shall support more than 500 pounds. Supporting steel and reinforcing of the purlins shall be provided by Tenant in accordance with requirements established by Landlord (which shall be clearly noted on Tenant's drawings).
- c. Chandeliers may be supported from the roof purlins, but no one purlin shall support more than 500 pounds. Suspension other than from roof purlins shall not be permitted.
- d. Gas line supports to be installed per Landlord requirements.

SECTION 2.19 PAINTING OF EXPOSED ROOFTOP METAL

Exposed gas lines and rooftop steel supports, if any, are to be painted by Tenant per Landlord specifications local codes, and municipal specifications.

SECTION 2.20 HEIGHT OF EQUIPMENT

Height of equipment above the roof shall not exceed 60", including supports or as required per local codes or as required by Landlord. If screening is required, Tenant will provide at their expense.

SECTION 2.21 CABLE/SATELLITE INSTALLATION (subject to availability)

- a. Tenant shall have the right to install cable and/or satellite communications ("Communications System") to the interior of the leased premises only through Tenant's rooftop HVAC equipment, subject to Landlord's approval of Tenant's drawings and specifications, diagrams and specifications for such Communications System. In no event will new roof penetrations be approved.
- b. A rooftop Communications System shall be installed by means of a free standing padded frame, along with such cable(s) necessary for the operation of the Communications System.
- c. Unless Landlord approves otherwise, upon Tenant vacating the leased premises, Tenant shall promptly remove the Communications System and immediately thereafter repair any damage caused as a result of the installation and/or the removal of the Communications System at Tenant's expense..
- d. Tenant's general contractor must coordinate all installation work with Landlord's roofing vendor.

- e. Tenant shall provide to Landlord no less than 5 days' written notice prior to commencing work on the Communications System.

SECTION 2.22 ROOFTOP EQUIPMENT OPERATIONS

- a. Rooftop equipment which may discharge grease, fat, oil, or other contaminants, must be fitted by Tenant with collection features to prevent damage to the roof.
- b. Tenant shall obtain a maintenance agreement for upkeep of any grease containment system and will be responsible for any damage to Landlord's roof or voiding of any warranty due to any grease or exhaust grease.
- c. Tenant will provide to Landlord's property manager a copy of each regularly schedule maintenance upkeep within 10 days of completion of work.

SECTION 2.23 PERMITS, CERTIFICATE OF OCCUPANCY, METERS

- a. All required building and other permits and fees in connection with the construction and completion of Tenant's work shall be obtained and paid for by Tenant. Tenant shall provide Landlord with copies of all permits issued.
- b. Upon completion of Tenant's Work, Tenant shall provide Landlord with an unconditional Certificate of Occupancy or such other approval as is provided by the local governmental authority indicating that the leased premises have been approved to open to the public.
- c. Tenant shall apply for all utility meters if same are not already in place. Tenant will pay all charges in connection with gas and electrical meters.
- d. Tenant shall provide Landlord any new/added meter numbers.

SECTION 2.24 QUALITY STANDARDS

Tenant's Work shall be performed in a first-class manner by licensed contractors where applicable and shall be in good condition on the date of completion. Only new, high quality, first-class materials shall be used for the construction of the leased premises. Upon completion of Tenant's Work, all facilities shall be fully usable and without defects. All merchandising fixtures and furnishings shall be new, or refurbished to "like new" condition.

SECTION 2.25 GUARANTEES FOR WORKMANSHIP AND MATERIALS

- a. Tenant shall require all persons or entities performing Tenant's Work to guarantee the same to be free from any and all defects in workmanship and materials for 1 year from the date of completion of Tenant's Work.
- b. Tenant shall require such persons or entities to agree to replace or repair, without additional charge, Tenant's Work which shall become defective within 1 year after completion of Tenant's Work. The replacement or repair of such work shall include, without additional charge, all expenses for damages in connection with such removal, replacement or repair of any part of the work which may be damaged or disturbed thereby.
- c. All warranties or guarantees as to materials or workmanship on or with respect to Tenant's Work shall be contained in the contract(s) relating thereto, and shall be so written that such guarantees or warranties shall inure to the benefit of both Landlord and Tenant, as their respective interests appear, and can be directly enforced by either.
- d. Tenant shall provide Landlord any assignment or other assurances which Landlord may require to effect the foregoing.

SECTION 3.0 - TENANT'S SIGNAGE

INTENT

The intent of these criteria is to establish clear requirements for the design, construction and installation of tenant signage at the Harvest Junction Shopping Center. The criteria strike a balance between the needs of retailers for recognition and visibility while respecting the design intent of the shopping center, the City's ordinances on signage and the needs of the community.

While this document is written in concert with City ordinances and has been reviewed by the City, tenants must apply for and obtain the required City planning review & approval/permit prior to installation of any building signage.

DEFINITIONS

Major Anchor - Tenant or User occupying demised premises of at least 45,000 square feet.

Junior Anchor - Tenant or User occupying demised premises between 15,000 square feet and 44,999 square feet.

Mini Anchor - Tenant or User occupying demised premises between 6,000 square feet and 14,999 square feet.

Shop Tenant - Tenant or User occupying demised premises smaller than 6,000 square feet, located within a larger multi-tenant building.

User - A company that owns fee simple interest in the real estate it uses as the sole occupant. Users are typically either the shopping center anchor and/or occupants of outparcel buildings in the front of the shopping center such as restaurants and specialty retailers.

Wall Sign - Permanent sign with tenant name placed on building above tenant storefront. Wall signs are limited to business name and nationally or regionally recognized logo, subject to maximum area, height and length limitations specified herein. Descriptions of services, product names, or merchandise trade names are prohibited. Wall signs shall be individually lighted aluminum pan-channel letters 5" deep with 1/8" Plexiglas face. Cabinet signs are not permitted, except as defined herein under "Logo Sign."

Approved Wall Area - The façade of the building on which primary customer entrance is located and/or the façade that fronts the shopping center or public right-of-way. Generally, the primary façade will front a major public street or the shopping center. Up to two wall areas per building are permitted for installation of signage. Multi-tenant buildings that front two public streets and the shopping center are permitted a third approved wall area as defined herein (see Definitions - End Cap Tenant Signage).

End Cap Tenant Signage - For buildings situated with frontage on two public streets and/or a public street and the shopping center (corner lots), a third Approved Wall Area is permitted. The third approved wall area is limited to use by either the single tenant occupying the building or the tenant occupying the unit at the end of the building that faces the two public streets "end cap tenant". Permissible sign area on any wall shall not exceed 1 square foot per linear foot of the primary store front width for buildings less than 300 linear feet from the Ken Pratt Blvd. right-of-way or 1.25 square foot for buildings set back greater than 300 linear feet. If third wall sign is used, total area of all signs cannot exceed the area calculated for two approved wall areas that front either the public streets and/or shopping center.

Monument Sign or Free-Standing Monument Sign - A free-standing sign along major public roadways and/or at entrances to the shopping center that identifies either or both the shopping center and select major anchor and junior anchor tenants.

Temporary Window Sign - A non-illuminated sign mounted inside the tenant's storefront or drawn on the inside of the glass of the storefront. Sign must be professionally prepared. Colors used in temporary window signs must be within the color pallet in use on the buildings of the shopping center. Sign may announce or advertise a specific sale, event or product for a finite period of time as described herein. Temporary window signs may be displayed in windows for up to one month in duration, four times per calendar year, subject to Landlord's approval. Window signs displayed in excess of this standard shall be considered permanent and result in a corresponding reduction of wall signage. Window film or paint may only be considered temporary if the message is of a temporary nature (i.e.: sale or grand opening). All temporary signage must comply with applicable City codes. Landlord, in its absolute discretion, reserves the right to require removal of signs that do not meet these criteria.

Banner Sign - A temporary sign made of durable material that is affixed to the building on a temporary basis. Banners must be placed on an approved wall area. One banner sign is permitted per approved wall area. Banner signs are limited to eighteen (18) inches in height and thirty (30) feet in length unless the banner is perforated or vented, in which case is in which case the height may be increased to three (3) feet. Display of banner signs is limited to two weeks every six months, with at least 30 days in between periods of banner display. Banners must be kept in good repair and remain firmly secured flush to the building façade in a manner approved by the Landlord.

Service/Rear Entry Signage - White vinyl letters/numbers affixed to service or rear entry door, centered on door at 5'-6" above finished grade at threshold. The signage is limited to two (2) inch high, white vinyl, die-cut letters limited to tenant name, suite and/or street number, and description of use ("service" or "fire value room" etc.).

Address Signage - White vinyl, die-cut letters letters/numbers affixed to transom above primary customer entry door.

Multi-Tenant Building - Building containing more than one shop tenant with leasehold interests in property.

Single-Tenant Building - Smaller building, usually located in front of larger anchor and junior anchor buildings, on separate lot or outparcel, occupied by a single tenant either in fee simple ownership or a leasehold interest in property.

Logo Sign - Not permitted except for tenants with national or regionally recognized logo or trademark. Logo sign must contain tenant logo in sign face & be internally illuminated. Logo sign shall be used in concert with pan channel letter signs, not in lieu of. Approval of logo signs are at the sole and absolute discretion of Landlord on a limited, case-by-case basis. Tenant must also obtain City planning approval for a logo sign, as logo signs are generally not permitted by the sign code but are subject to review on a case-by-case basis.

SUBMITTAL AND APPROVAL PROCEDURES

Prior to any sign installation, temporary or permanent, the tenant or tenant's sign contractor must obtain approval of the Landlord and obtain any necessary City permits. To obtain Landlord approval of proposed signage, submit sign fabrication drawings to Ramco-Gershenson, Inc., 31500 Northwestern Highway, Suite 300, Farmington Hills, MI 48334, Attn: Harvest Junction Tenant Coordinator, or email sign fabrication to Judy Laskosky at jlaskosky@rgpt.com.

At a minimum, the submittal must include:

- . Color Elevations of the proposed signage, shown on the elevation of the building where the sign is proposed.
- . Full specifications of all materials, colors and lighting in the sign.

- . Section drawings to fully describe the methods of attachment, assembly and electrical components used.
- . Contact person for questions regarding submittal

Tenants and their sign vendors and contractors must contact the City of Longmont for permit requirements.

RESPONSIBILITIES, LIMITATIONS, LIABILITIES

- . The tenant shall be responsible for the safe installation of the sign without disruption of other tenants or operation of the shopping center.
- . Tenant's Sign Contractor must carry current insurance coverage meeting Landlord's requirements identified in the Tenant's Lease.
- . Tenant and Tenant's Contractor are responsible for all construction work related to the sign installation.
- . No sign may be erected on any buildings or property without first securing written approval of Landlord and obtaining all approvals permits required by City. Tenant shall provide Landlord with copy of City permit.
- . Tenant shall bear all costs for permitting, fabrication, and installation of signs, unless provided for otherwise in the lease agreement. The tenant and sign contractor will be responsible for any and all costs incurred by Landlord due to removal of non-conforming signage and/or damage to buildings.

GENERAL REQUIREMENTS

- . Landlord and/or City reserve the right to disapprove or require modifications to tenant's proposed signage where signage is deemed out of scale or inappropriate for the architecture or aesthetics of the shopping center.
- . Landlord and/or City reserve the right to prohibit logos in sign copy.
- . Permanent tenant wall signs shall be individual 5" deep pan channel letters with 1/8" Plexiglas face.
- . Shop tenant signs shall be mounted on a 6" x 8" raceway with finish texture & color to match building façade. For example, if building façade is stucco, raceway shall be painted with stucco texture paint to not only match building color but to match texture to the maximum extent possible. Tenant to obtain approved color from Landlord.
- . Anchor, Junior Anchor, Mini Anchor Tenants and Single-Tenant Buildings are permitted to mount individual letters to the building in lieu of a raceway, if desired by the tenant or user.
- . No projecting or roof signs shall be allowed.
- . Box or cabinet signs are prohibited.
- . Flashing signs are prohibited.
- . Portable, trailer, changeable copy signs are prohibited
- . Sign shall be mounted within the allowable sign placement location as shown on the architectural elevations & exhibits herein. The assigned position for each Tenant shall be as close to a center-of-frontage location as possible, subject to allowance for positioning corner store signs and suitable space between adjacent Tenant signs and architectural features as determined by the Landlord.
- . Shop Tenant sign length shall not exceed 75% of the width of tenant storefront, regardless of sign area allowed by these criteria or code.

- . Sign vendor or manufacturer names must not be visible on sign copy.
 - . Temporary signage prior to or at store opening must comply with these criteria and City code.
 - . All components and assemblies must be UL-approved, including method of attachment/connection to the building and electrical system.
 - . No exposed wiring is permitted.
 - . A licensed electrician shall perform final electrical hookup to building.
 - . All penetrations through the masonry shall be through the mortar joints. All signage installation shall be in accordance with applicable building code, the National Electrical Code and local ordinances.
- Tenant shall provide a photo to Landlord of the completed sign once it is installed.
- . LED or exposed neon signs are prohibited.
 - . Sign brightness levels are limited to 600 candelas per square meter by City ordinance. Signs shall include adjustable lighting control.
 - . Wall signs shall have a programmable clock controller.

Sign Area Measurement

Sign area will be measured using the smallest 8-sided straight line polygon that will fit around the sign body. Fascia behind signs will not be considered in the sign area calculation provided the fascia is part of the permanent building façade whose color and material are approved for the shopping center.

WALL SIGNS

Major Anchor

- Letter Height: Up to 7'-0"
- Sign Placement: Place on building in area designated for signage per architectural elevations contained herein.
- Maximum Area: 1.0 square feet per lineal foot of store width, up to a maximum of 300 square feet. For a building façade located at least 300 linear feet from the Ken Pratt Boulevard right-of-way (ROW), sign area for wall signage facing Ken Pratt Boulevard may be increased up to 25% to 1.25 square foot per linear foot, up to a maximum area of 375 square feet.
- Quantity: Front façade is only approved wall area for sign placement, unless building or tenant lease space in question fronts two public street (corner building or corner lot), in which case tenant may be entitled to one sign per approved wall area. No signage is allowed on rear of building. Only one sign is permitted on an approved wall area.

Junior Anchor

- Letter Height: Up to 5'-0"
- Sign Placement: Placed on building in area designated for signage per architectural elevations contained herein.
- Maximum Area: 1.0 square feet per lineal foot of store width per approved wall area. For a building facade located at least 300 linear feet from the Ken Pratt Boulevard ROW, area of wall signage facing Ken Pratt Boulevard may be increased by up to 25% to 1.25 square foot per lineal foot. However, the maximum area shall not exceed 200 square feet in any case.

Quantity: Front façade is only approved wall area for sign placement, unless building or tenant space in question fronts two public streets (corner building or corner lot), in which case tenant may be entitled to one sign per approved wall area. No signage is allowed on rear of building. Only one sign is permitted on an approved wall area.

Mini Anchor

Letter Height: Up to 4'-0"
Sign Placement: Placed on building in area designated for signage per architectural elevations contained here.
Maximum Area: 1.0 square feet per lineal foot of store width per approved wall area. For a building façade located at least 300 linear feet from the Ken Pratt Boulevard ROW, area of wall signage facing Ken Pratt Boulevard may be increased up to 25% to 1.25 square foot per linear foot of store width. However, the maximum area shall not exceed 125 square feet in any case.

Quantity: Front façade is only approved wall area for sign placement, unless building or tenant lease space in question fronts two public streets (corner building or corner lot), in which case tenant may be entitled to one sign per approved wall area. No signage allowed on rear of building. Only one sign is permitted on an approved wall area.

Shop Tenant in Multi-Tenant Building

Letter Height: Not less than 2', not more than 2'-6"
Sign Placement: Placed on building in area designated for signage per approved architectural elevations.
Maximum Area: One square foot of sign area per linear foot of store width per approved wall area for buildings located less than 300 linear feet from Highway 119 (Ken Pratt Boulevard) ROW. Sign area may be increased by up to 25% if building is set back from ROW in excess of 300 feet. Sign length shall not exceed 75% of store frontage.

Quantity: Two wall signs, maximum, located on approved wall areas as defined herein. Only one sign is permitted on an approved wall area.

Single-Occupant Building

Letter Height: Up to 3'-0"
Sign Placement: Placed on building in area designated for signage per City-approved architectural elevations, with sign length not to exceed 50% of the wall upon which the sign is mounted.
Maximum Area: 1.0 square feet per lineal foot of approved wall area. For a building façade located at least 300 linear feet from Ken Pratt Boulevard ROW, area of signage facing Ken Pratt Boulevard may be increased by 25% to 1.25 square foot per linear foot.

Quantity: Up to three approved wall areas. Total square footage is limited to the area allowed on two approved wall areas that face public street and/or shopping center. Only one sign is permitted on an approved wall area.

FREE STANDING MONUMENT SIGNS

Free-standing monument signs shall be as approved by the City of Longmont

SIGN CONTRACTOR INSURANCE REQUIREMENTS

Coverage Minimum Amounts and Limits

Harvest Junction South

A. Worker's Compensation	
Worker's Compensation	Statutory Limits
Employer's Liability	\$2,000,000

This policy shall include a Waiver of Subrogation in favor of the indemnities (as defined in this Agreement).

B. Commercial General Liability	
Bodily Injury/Property Damage (Occurrence Basis)	\$1,000,000 each occurrence, or equivalent, subject to \$2,000,000 aggregate applicable to the Project.

This policy shall include a Waiver of Subrogation in favor of the indemnities (as defined in this Agreement). This policy shall be on a form reasonably acceptable to Landlord, endorsed to include the indemnities as additional insureds, contain cross-liability and severability of interest endorsements, state that this insurance is primary insurance as regards to any other insurance carried by the indemnities, and shall include the following coverages:

1. Premises/Operations
2. independent Agents
3. Broad Form Contractual Liability specifically in support of, but not limited to, the indemnity sections of this Agreement
4. Broad Form Property Damage
5. Personal injury Liability with employee and contractual exclusions removed
6. Delete Exclusions relative to Collapse, Explosion and Underground Property Damage Hazards

C. Comprehensive Automobile Liability	
Bodily Injury	\$100,000 per person \$300,000 per occurrence
Property Damage	\$100,000 per occurrence, or equivalent

This policy shall include a Waiver of Subrogation in favor of the indemnities (as defined in this Agreement). This policy shall be on a standard form written to cover all owned, hired and non-owned automobiles. The policy shall be endorsed to include the indemnities as additional insureds, contain cross-liability and severability of interest endorsements, and state that this insurance is primary insurance as regards to any other insurance carried by the indemnities.

D. Umbrella Excess Liability Insurance	
Bodily Injury/Property Damage (Occurrence Basis)	\$1,000,000 per occurrence \$5,000,000 aggregate

This policy shall be written on an umbrella excess basis above coverages described in A, B, and C above, endorsed to include the Idemnities as additional insureds, contain cross-liability and severability of interest endorsements, and state that this insurance is primary insurance as regards to any other insurance carried by the Idemnities. In addition, the policy shall be endorsed to provide defense coverage obligations.

- **LANDLORD RESERVES THE RIGHT TO APPROVE / DISAPPROVE TENANT SIGNAGE, NOTWITHSTANDING THE ABOVE REFERENCED EXTERIOR SIGNAGE CRITERIA.**

SECTION 4.0 – INSURANCE

SECTION 4.01 TENANT’S INSURANCE REQUIREMENTS

See Lease Agreement for Tenant’s insurance requirements.

SECTION 4.02 TENANT’S CONTRACTORS INSURANCE REQUIREMENTS

Tenant shall require that, other than employees of the Tenant, any persons, contractors or any other entity, hereinafter “Contractor(s)”, performing work on the premises for the Tenant or at the Tenant’s request, carry the minimum insurance as specified below:

- a) Commercial general liability insurance including but not limited to premises operations, completed operations, product liability, and contractual liability. Such insurance(s) will be written on an occurrence form and have limits of at least \$2,000,000 each occurrence and annual aggregate for bodily injury and property damage combined. If such insurance covers multiple projects of the Contractor(s), the full occurrence and annual aggregate limits are to be available on a per project or location basis. Landlord, managing agent and any other parties in interest designated by Landlord are to be named as an additional insured under this insurance (see page 4 under Risk Management for additional insureds).
- b) Special form property insurance on a replacement cost basis covering Contractor’s tools and equipment used in their performance of the work. All property kept, stored or maintained in, on or about the work site shall be so kept, stored or maintained at the risk of Contractor(s) or Tenant only.
- c) If the Leased premises is to be constructed, renovated or added to by the Tenant, Tenant or Contractor(s) shall provide builders risk insurance for the project with a limit equal to the full cost of the completed project. Coverage under this insurance shall extend to building materials while in transit and temporarily stored away from the premises. Landlord and any other parties in interest designated by Landlord shall be named as a loss payee under such builders risk insurance.
- d) Automobile liability insurance including owned, hired, and non-owned autos. Such insurance shall have a limit not less than \$1,000,000 bodily injury and property damage combined each occurrence.
- e) Statutory worker’s compensation insurance for all employees of the Contractor(s) in the State in which the work is located or where Contractor’s workers are domiciled, whichever is applicable.
- f) Employer’s liability insurance with a limit of at least \$500,000 each accident for bodily injury by accident; \$500,000 policy limit for bodily injury by disease; and \$500,000 each employee for bodily injury by disease.
- g) If the Contractor is acting as a consultant providing professional services to the Tenant, Contractor shall carry professional liability insurance, covering actual or alleged negligent acts of the Contractor committed in the rendering of such professional services to the Tenant. The limit of such insurance shall not be less than \$1,000,000 each claim and annual aggregate. Such insurance may be written on a claims made form but must remain in effect for at least 1 year following the completion of the professional services provided.

All insurances required above are to be primary and non contributory to any insurance carried by the Tenant or Landlord and be written by responsible insurance companies authorized to conduct business within the state in which the work is being performed, have an A.M. Best rating of at least A- VIII and be reasonably acceptable to Landlord. Tenant shall secure certificate(s) of insurance from its Contractor(s) as evidence that the required insurance is in full force and effect and deliver the certificates to the Landlord at least 5 days prior to the commencement of the work and within 30 days of each renewal thereafter. Contractor(s) shall cause its insurers to provide 30 days prior written notice of cancellation or non-renewal of any insurance required above. Insurance

limits may be achieved through any combination of primary and excess insurance policies as long as the excess policy provides the same terms and conditions as the primary.

Without limitation, Tenant agrees to defend, indemnify and hold harmless the Landlord from any and all liability, claims, losses, and damages including legal fees arising out of the Tenant's work including work performed by Tenant's Contractor(s) at any time during the term of the lease.

III. ADDITIONAL DOCUMENTS

DOCUMENT A CONSTRUCTION GUIDELINES FOR OPERATING SHOPPING CENTERS

The following are guidelines for construction work in the Shopping Center. Failure to comply with these guidelines may result in charges to Tenant and/or Tenant's contractor.

Tenant's contractor is to sign this document acknowledging it has read and will comply with the requirements set forth herein and in the Tenant Manual.

Without limitation, Tenant's Work shall not commence until:

- a. Full execution of the Lease or an Early Start Agreement by both parties and written delivery of the leased premises by Landlord to Tenant;
- b. Tenant has received Landlord's written approval of Tenant's drawings and specifications;
- c. Tenant has obtained all required governmental approvals;
- d. Tenant has delivered to Landlord, the certificate(s) of insurance required by the Tenant Manual, the Lease and applicable laws;
- e. Tenant has submitted to Landlord the names, addresses and phone numbers of its licensed general contractor and all certificates evidencing the insurance required herein;
- f. Tenant and/or Tenant's contractor has obtained and posted in a prominent place within the leased premises a building permit and all other applicable permits, and provided Landlord with copy of same;
- g. Tenant has advised Landlord of the actual commencement date of construction, the estimated date of completion of Tenant's Work and date of projected opening. **Tenant shall immediately notify Landlord of the actual date the leased premises are open for business.**

PRE-CONSTRUCTION:

Except as provided for in Section 2.03 of the Tenant Manual, prior to entering the leased premises, Tenant's general contractor must schedule a pre-construction meeting with Landlord and provide to Landlord the following:

- a. Copy of the **building permit**, the zoning certificate, and a set of approved drawings from the local fire and building departments.
- b. Copy of **permits** for plumbing, electrical, and mechanical subcontractors.

- c. A 24-hour **emergency telephone numbers** for the general contractor, project manager, site superintendent, and for all major subcontractors.
- d. A complete **list of subcontractors** and suppliers, their associated trade, contact and phone numbers. The general contractor and all subcontractors must be bondable and meet all state and local licensing and insurance requirements.

DURING CONSTRUCTION:

- a. General contractor and all general contractor's subcontractors and vendors are to comply with all OSHA, governmental safety regulations and requirements, and local safety codes.
- b. Tenant and/or Tenant's contractor shall notify Landlord of the work schedule and keep Landlord informed of any changes to the schedule.
- c. Landlord is available to facilitate all construction activities. Contact Landlord for access to utility rooms or other on site facilities.
- d. Coordinate review/submittal of Tenant construction drawings and specifications with Landlord.
- e. Utilities servicing the leased premises should be transferred into Tenant's name and account as of the turnover date (information provided in turnover letter from Landlord). Any utility shutdowns need to be approved by Landlord at least 48 hours in advance.
- f. Notify Landlord of all delivery schedules. Deliveries are to be made through the rear of Tenant's space. Arrangements must be made with Landlord for shipments that do not fit through the rear door. Should the leased premises not have a rear door, all deliveries through the front are to be made during hours in which the Shopping Center is not open.
- g. Landlord cannot accept any shipments on behalf of Tenant.
- h. Notify Landlord of any exterior construction activity, which must take place when the Shopping Center is closed and must be scheduled with Landlord at least 48 hours in advance. GC shall be required to properly protect its Work with lights, guard rails, and barricades, and secure all parts of the Work against storm, accident, malicious mischief, and theft. Graphics on barricade may be required by Landlord. Barricades are required for any façade and/or storefront work.
- i. Notify Landlord at least 48 hours in advance of any sprinkler work. Sprinkler modifications must be made by Landlord required contractor (see page 4) and the requirements of Landlords' insurance underwriter(s).
- j. If sprinklers are to be shut down for more than a short time, Landlord must be notified, the contractor will be responsible for maintaining a fire watch on site and such shut down must occur when the Shopping Center is closed. Landlord will, as required, notify the local fire authority, security monitoring company, and the insurance company. Upon completion of sprinkler work, notify Landlord, who will again, as required, inform the local fire authority, security, and insurance company that the work is complete. **Sprinkler system will not be shut down for any reason without proper mechanical permits required by local governmental authority. Contact Landlord for any applicable shut down fees.**
- k. All roof penetrations must be approved by Landlord prior to scheduling roof work. If approved, all roof work must be done by Landlord's roof contractor at Tenant's expense. (See Page 4.)

- i. Notify Landlord of any construction activity that may result in noxious odors (i.e., acetate or mylar painting, chemical applications). This work must take place when the Shopping Center is closed. Any cost to divert noxious odors shall be borne by Tenant.
- m. Notify Landlord in advance of when any intrusive or loud construction activity such as fascia sign installation, concrete and masonry demolition or saw cutting will occur. These activities must be coordinated with Landlord prior to start of the work and are to take place when the Shopping Center is closed.
- n. Set up trash removal. Tenant's contractor is responsible for and to provide for its own trash removal, and must coordinate and obtain approval of this activity and location of dumpster with Landlord prior to the start of construction. **DEBRIS MUST BE CLEANED UP DAILY AROUND ANY DUMPSTER AREA. ALL DUMPSTER AND TRASH REMOVAL SHALL BE AT THE REAR OF THE CENTER.** Dumpster must have plywood bearing pad protection under the dumpster wheels.
- o. Tenant's contractor must provide Landlord (24) hour's notice prior to any welding or spark generating activity. During the course of all welding, a fire extinguisher must be accessible and the provisions of the National Fire Code shall be adhered to at all times.

SITE RESPONSIBILITY:

- a. Keep doors closed at all times and lock them at the end of each day.
- b. Interior of storefront must be covered during construction until work is complete. Contractor is responsible for keeping window coverings up and in good condition, and cleaning the storefront after removal of covering material.
- c. Contractors should be aware that there are customers on site, and behave appropriately.
 - No loud, inappropriate or offensive language.
 - Radio volume should be kept appropriately low.
 - Acceptable attire is to be worn at all times while working on site.
 - Crews are not to loiter in common areas of the Shopping Center.
 - **NO SMOKING** on premises.
- d. Contractor must maintain a fire extinguisher on site at all times.
- e. Contractor is responsible for any damage it may cause to the Shopping Center (including the leased premises, building, parking areas, landscaping, etc.).
- f. Contractor must keep sidewalk, sidewalk area and storefront clean at all times.
- g. All washing of materials and equipment (such as painting equipment) must take place in the leased premises or off site. Sensitive materials must be disposed of properly. Dumping of concrete or paint residue onto the Shopping Center (including flower beds, planters, grass areas, drainage pipes, plumbing pipes, etc.) is strictly prohibited.
- h. No property, materials, equipment, tools, etc., not then in use may remain outside the leased premises. Storage of large items outside, if necessary, is subject to Landlord approval. Neither Landlord nor Ramco-Gershenson, Inc. shall be responsible for any such property, materials, equipment, tools, etc.

UPON COMPLETION OF CONSTRUCTION:

- a. Have contractor review all building systems (HVAC, plumbing, electrical, etc.) to ensure that they are in good working order. All filters must be changed upon completion of work. Light panels and all circuits shall be labeled or relabeled (typed) accordingly. Provide a copy of the HVAC Balance report and manufacturer, model #, serial # and size (tonnage) of unit to Landlord.
- b. Provide a copy of the Unconditional Certificate of Occupancy to Ramco-Gershenson, Inc. **Tenant may not open for business until a Certificate of Occupancy or equivalent document is issued by the local governing authority.**
- c. Provide Landlord with as-built drawings and specifications, which shall be the record set of documents evidencing what was constructed at the site.

I certify that I have read and thoroughly understand the foregoing Construction Guidelines for Operating Shopping Centers, the Tenant Manual and attached Documents and agree to abide by all of the same.

Acknowledged by:

Tenant's Contractor

Date

Tenant

Date

Landlord

Date

PLEASE SIGN AND FAX THIS PAGE TO LANDLORD AT 248-592-6233.

**DOCUMENT B
TENANT'S CONTRACTOR CHECK LIST**

Center _____ Space No. _____ Sq. Ft. _____

Address _____

City, State, Zip _____

Tenant: _____

Prior To Commencement of Build-out:

Landlord Approved Drawings	ACCEPTED BY: _____	Date: _____
Building Permit #:	ACCEPTED BY: _____	Date: _____
Major Sub-trades Permits	ACCEPTED BY: _____	Date: _____
Building Department Stamped Drawings	ACCEPTED BY: _____	Date: _____
Certificate of Insurance	ACCEPTED BY: _____	Date: _____
Signed Copy of Tenant Contractor Rules & Regulations	ACCEPTED BY: _____	Date: _____
Notice of Commencement/Notice of Furnishing	ACCEPTED BY: _____	Date: _____
Schedule of Work	ACCEPTED BY: _____	Date: _____
Security Deposit: Amount: \$ _____	ACCEPTED BY: _____	Date: _____
Material Safety Data Sheet (to be stored onsite)	ACCEPTED BY: _____	Date: _____

Following Completion of Build-out:

Notice of Completion	ACCEPTED BY: _____	Date: _____
Certificate of Occupancy	ACCEPTED BY: _____	Date: _____
Final lien releases [G.C. and Major Subs]	ACCEPTED BY: _____	Date: _____
Certified Air Balance Report	ACCEPTED BY: _____	Date: _____
Architectural "AS-BUILT" DRAWINGS	ACCEPTED BY: _____	Date: _____
Mechanical "AS-BUILT" DRAWINGS	ACCEPTED BY: _____	Date: _____
Plumbing "AS-BUILT" DRAWINGS	ACCEPTED BY: _____	Date: _____
Fire Protection "AS-BUILT" DRAWINGS	ACCEPTED BY: _____	Date: _____
Electrical "AS-BUILT" DRAWINGS	ACCEPTED BY: _____	Date: _____
CD OF "AS-BUILT" DRAWINGS	ACCEPTED BY: _____	Date: _____
Completed Punchlist	ACCEPTED BY: _____	Date: _____
Operation and Maintenance Manuals	ACCEPTED BY: _____	Date: _____

**DOCUMENT C
CONTRACTOR LIST**

TENANT DBA: _____

TENANT NAME: _____ SPACE #: _____

Contractor: _____

Superintendent: _____

Address: _____

City: State: Zip Code: _____

Phone:/Fax: _____ / _____

Emergency Telephone Number (24 hour access): _____

TRADES CONTRACTOR / CONTACT / PHONE NO:

DEMO: _____

FRAMING, DRYWALL: _____

ELECTRIC: _____

HVAC: _____

PLUMBING: _____

SPRINKLER: _____

CEILING GRID: _____

PAINTING: _____

CARPET: _____

CERAMIC, VCT: _____

FIXTURING, CARPENTRY: _____

GLASS, MIRRORS: _____

SIGN: _____

CLEANING: _____

DUMPSTER: _____

TEMPORARY PHONE: _____

SPRINKLER SHUT DOWN: _____